

GST No.: 07AADCR2086B1ZO ISO 9001 : 2015 CERTIFIED COMPANY

303 and 305, 3rd Floor, Kirti Deep Building, 5 RBC, DDA Complex, Nangal Raya, New Delhi-110046 (INDIA) Tel.: +91-11-4702-9060, +91 88600-08040 Email: mahavirs@yahoo.com Website: www.rclexports.com

Material Safe	ety Data Sheet	
RCL PIGMENT GREI	EN 7 for PVC AND EVA	
SECTION 1 : CHEMICAL PRODUCT AND COMPANY IDENTIFICA	TION	
SUBSTANCE/CHEMICAL DESCRIPTION:	Copper Phthalocyanine Green	
TRADE NAMES/SYNONYMS:	RCL GREEN 7 for PVC AND EVA	
GENERIC NAME:	C.I. Pigment Green 7	
CONSTITUTION NUMBER:	74260	
CAS REGISTRY NUMBER:	1328-53-6	
CHEMICAL FAMILY:	Aromatic, Carboxylic acids, Cyanates	
CHEMICAL CLASS:	Phthalocyanine Pigment	
CHEMICAL TYPE:	Organic	
SUPPLIER: 342 and 365 and the man form man areas of	RCL Exports India Pvt Ltd.	
	RCL EXPORTS INDIA PVT LTD 305, 3rd Floor, Kirti Deep Building, RBC Nangal Raya, New Delhi - 110046, INDIA Ph: + 91-11-47029060 EMAIL: info@rclexports.com www.rclexports.com	
SECTION 2: COMPOSITION, INFORMATION ON INGREDIENTS		
COMPONENT:	COPPER POLYCHLOROPHTHALOCYANINE GREEN	
PERCENTAGE BY WEIGHT:	98.5	
EC NUMBER (EINECS):	215-524-7	
DANGEROUS COMPONENT:	None	
SECTION 3: PHYSICAL AND CHEMICAL PROPERTIES		
PHYSICAL STATE:	Solid	
PHYSICAL FORM:	Powder	
COLOR:	Green	
ODOR:	Odorless	
MOLECULAR FORMULA:	C <sub>32</sub> H <sub>8</sub> Cl <sub>16</sub> Cu	
MOLECULAR WEIGHT:	1082-1127	
SPECIFIC GRAVITY (water=1):	2.13	
WATER SOLUBILITY:	Insoluble	
BULK DENSITY:	0.40 to 0.55 gm/cc	
PH:	Neutral	
AUTO IGNITION:	Not DOT Regulated	
THERMAL DECOMPOSITION:	Hazardous decomposition Not Expected	
BOILING POINT:	Not Applicable	
MELTING POINT:	Not Applicable	
VAPOUR PRESSURE:	Not Applicable	
VAPOUR DENSITY:	Not Applicable	
VOLATILITY:	Not Applicable	
ODOR THRESHOLD:	Not Applicable	

Regd. Office: 233, Karishma Appartment, Plot No-27, Patparganj, New Delhi-110092

CIN: U51909DL2005PTC143513 : IEC NO:- AADCR2086B



GST No.: 07AADCR2086B1ZO CAPEXIL ISO 9001 : 2015 CERTIFIED COMPANY

303 and 305, 3rd Floor, Kirti Deep Building, 5 RBC, DDA Complex, Nangal Raya, New Delhi-110046 (INDIA) Tel.: +91-11-4702-9060, +91 88600-08040 Email: mahavirs@yahoo.com Website: www.rclexports.com

	CERTIFIED COMPANY		
EVAPORATION RATE:	Not Applicable		
COEFFICIENT OF WATER/OIL DISTRIBUTION:	Not Applicable		
IGNITION TEMPERATURE:	Not Applicable		
PARTITION COEFFICIENT:	Not Applicable		
VISCOSITY:	Not Applicable		
OXIDIZING PROPERTIES:	Not Applicable		
EXPLOSION LIMITS:	Not Applicable		
SECTION 4: HAZARDS IDENTIFICATION			
NFPA RATINGS (SCALE 0-4):	HEALTH=1 FIRE=1 REACTIVITY=0		
EC CLASSIFICATION (CALCULATED):	Not determined.		
SECTION 5: FIRST AID MEASURES			
INHALATION:	Remove from exposure immediately and move to fresh air. Use a bag valve mask or similar device to perform artificial respiration and aid in breathing.  Get medical attention if needed.		
SKIN CONTACT:	Remove contaminated clothing, jewelry, and shoes immediately.  Wash skin thoroughly with soap and water. Use mild detergent and water to wash clothes until no evidence of chemical remains before reuse. Get medical attention, if needed.		
EYE CONTACT:	Flush eyes immediately with large amount of water, occasionally lifting upper and lower lids, until no evidence of chemical remains. Get medical attention immediately if irritation remains.		
INGESTION:	Dilute it with water and induce vomiting. If vomiting occurs, keep head lower than hips to help prevent aspiration. Get medical attention immediately.		
SECTION 8: FIRE FIGHTING MEASURES			
FIRE AND EXPLOSION HAZARDS:	Slight fire hazard. Dust/air mixtures may ignite or explode.		
EXTINGUISHING MEDIA:	Regular dry chemical, carbon dioxide, water, or regular foam.		
LARGE FIRES:	Use regular foam or flood with fine water spray.		
FIRE FIGHTING:	Personal firefighting equipment procedure must be used or use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.		
SECTION 7: ACCIDENTAL RELEASE MEASURES			
OCCUPATIONAL/ ENVIRONMENTAL RELEASE PRECAUTIONS:	Collect spilled material in appropriate container for disposal or vacuum into a receptacle. Keep out of water supplies and sewers. Keep unnecessary people away, isolate hazard area and deny entry.		

Regd. Office: 233, Karishma Appartment, Plot No-27, Patparganj, New Delhi-110092 CIN: U51909DL2005PTC143513 : IEC NO:- AADCR2086B



GST No.: 07AADCR2086B1ZO

303 and 305, 3rd Floor, Kirti Deep Building, 5 RBC, DDA Complex, Nangal Raya, New Delhi-110046 (INDIA) Tel.: +91-11-4702-9060, +91 88600-08040 Email: mahavirs@yahoo.com Website: www.rclexports.com

ISO 9001 : 2015 CERTIFIED COMPANY

PERSONAL PRECAUTIONS:

Safety glasses, helmet, face guard, hand gloves, etc to be worn.

#### SECTION 8: HANDLING AND STORAGE

Store and handle in accordance with all current regulations and standards. Keep separated from incompatible substances.

This product should be handled under conditions of good industrial hygiene.

In particular, creating and inhaling of dust is to be prevented by the use of lock exhaust ventilation during handling and weighing.
Usual precaution for nuisance dust should be observed. Store in rooted place at room temperature.

Keep container tightly sealed, protect from fire.

Keep away from source of ignition or no smoking zone.

Risk of dust explosion, as with most organic powders, it may form flammable dust clouds in air. Also prevent dust collection by regular cleaning.

SECTION 9: EXPOSURE CONTROLS, PERSONAL PROTECTION	00		
EXPOSURE LIMITS:	No occupational exposure limits established.		
VENTILATION:	Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.		
EYE PROTECTION:	Wear splash resistant safety glasses. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.		
CLOTHING:	Wear appropriate chemical resistant clothing.		
GLOVES:	Wear appropriate chemical resistant gloves.		
RESPIRATOR:	Under conditions of frequent use or heavy exposure, respiratory protection may be needed.  Respiratory protection is ranked in order from		
	minimum to maximum. Consider warning properties before use. Any dust and mist respirator with a full face piece. Any air-purifying respirator with a full face piece and a high-efficiency particulate filter. Any powered, air-purifying respirator with a full face piece and a high-efficiency particulate filter. For Unknown Concentrations or Immediately Dangerous to Life or Health - Any supplied-air respirator with full face piece and operated in a Pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full face piece.		
SECTION 10: STABILITY AND REACTIVITY	Out the state of t		
REACTIVITY:	Stable at normal temperatures and pressure.		
CONDITIONS TO AVOID:	Avoid heat, flames, sparks, fire and other sources of ignition.  Avoid contact with incompatible materials.		
INCOMPATIBILITIES:	Oxidizing materials		
OXIDIZERS (STRONG):	Fire and explosion hazard.		
HAZARDOUS DECOMPOSITION:	Thermal decomposition products: cyanides, oxides of carbon, nitrogen		

Regd. Office: 233, Karishma Appartment, Plot No-27, Patparganj, New Delhi-110092 CIN: U51909DL2005PTC143513 : IEC NO:- AADCR2086B



GST No.: 07AADCR2086B1ZO

303 and 305, 3rd Floor, Kirti Deep Building, 5 RBC, DDA Complex, Nangal Raya, New Delhi-110046 (INDIA) Tel.: +91-11-4702-9060, +91 88600-08040 Email: mahavirs@yahoo.com Website: www.rclexports.com

PEXIL		CHEMITE
	O 9001 : 20 FIED COM	

POLYMERIZATION:	Will not polymerize.			
SECTION 11: TOXICOLOGICAL INFORMATION		The second second second second second		
MUTAGENIC DATA:	-	Mutation in microorganisms - Salmonella typhimurium 3333 ug/plate (-S9)		
ACUTE ORAL TOXICITY (LD50)	The product is not toxic. LD 50 Rat-5000 mg/kg.	The product is not toxic. LD 50 oral. Rat-5000 mg/kg.		
HEALTH EFFECTS:				
INHALATION:	ACUTE EXPOSURE:	Dusts may be irritating to the mucous membranes.		
	CHRONIC EXPOSURE:	No data available		
SKIN CONTACT:	ACUTE EXPOSURE:	Non irritant (tested on Rabbit)		
	CHRONIC EXPOSURE:	No data available.		
EYE CONTACT:	ACUTE EXPOSURE:	Non irritant (tested on		
		Rats).		
7	CHRONIC EXPOSURE:	No data available.		
INGESTION:	ACUTE EXPOSURE:	May result in gastric disturbances		
	CHRONIC EXPOSURE:	No data available.		
SECTION 13: DISPOSAL CONSIDERATIONS  Dispose in accordance with federal, state, local and		集制作品的基本		
Contaminated packages and containers emptied, b				
DISPOSAL OF PRODUCT:	Waste code No.55514 (GERN			
DISPOSAL OF PACKING:		Waste code No. 18174 (GERMANY)		
WASTE CLASSIFICATION:	Waste code No.55514 (GERM	MANY)		
SECTION 14: TRANSPORT INFORMATION	AL AL OF THE STATE OF			
LAND/AIR/MARITIME TRANSPORT	No classification/precaution a	ssigned.		
SECTION 15: REGULATORY INFORMATION	TOCA	ly		
U.S. REGULATIONS:	TSCA INVENTORY STATUS:			
	TSCA 12(b) EXPORT NOTIFICATION:	Not Listed		
	CERCLA SECTION 103 (40CFR302.4):	N		
	SARA SECTION 302 (40CFR355.30):	N		
	SARA SECTION 304 (40CFR355.40):	N		



### RCL Exports India Pvt. Ltd. 303 and 305, 3rd Floor, Kirti Deep Building, 5 RBC, DDA Complex, Nangal Raya, New Delhi-110046 (INDIA) Tel.: +91-11-4702-9060, +91 88600-08040

GST No.: 07AADCR2086B1ZO



ISO 9001: 2015

Bringing Colours to Life. Email: maha	wirs@yahoo.com Website: www.rclexports.com		ISO 9001 : 2015 ERTIFIED COMPANY
	SARA SECTION 313 (40CFR372.65)	N	- COMMING
	SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):	AUCTE:	N
		FIRE	N
		REACTIVE	N
		SUDDEN	N
		RELEASE	
	OSHA PROCESS SAFTEY (29CFR1910.119):		
STATE REGULATIONS:	CALIFORNIA PROPOSITION 65:	N	
EUROPEAN REGULATIONS:	EC NUMBER (EINECS):	215-524-7	
GERMAN REGULATIONS:	WATER HAZARD CLASS (WGK):	WATER HAZARD CLASS 1 (Self Classification by	

#### SECTION 16: OTHER INFORMATION

The information mentioned in this data sheet is compiled from the different sources and our present state of knowledge thus should be taken as guideline only.

Also It should not therefore be constructed as guaranteeing specific properties of the product described or their suitability for particular

For detailed information regarding the health and safety data also please refer to NPIRI raw material data handbook VOL.4 pigments.