

GST No.: 07AADCR2086B1ZO

CAPEXIL

ISO 9001: 2015

CERTIFIED COMPANY

303 and 305, 3rd Floor, Kirti Deep Building, 5 RBC, DDA Complex, Nangal Raya, New Delhi-110046 (INDIA) Tel.: +91-11-4702-9060, +91 88600-08040 Email: mahavirs@yahoo.com Website: www.rclexports.com

Material Data Safet Sheet				
RCL Pigment Green	n-7 Universal Grade			
SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION				
SUBSTANCE/CHEMICAL DESCRIPTION:	Copper Phthalocyanine Green			
TRADE NAMES/SYNONYMS:	RCL PIGMENT GREEN- 7 Universal Grade			
GENERIC NAMÉ:	C.I. Pigment Green 7			
CONSTITUTION NUMBER:	74260			
CAS REGISTRY NUMBER:	1328-53-6			
CHEMICAL FAMILY:	Aromatic, Carboxylic acids, Cyanates			
CHEMICAL CLASS:	Phthalocyanine Pigment			
CHEMICAL TYPE:	Organic			
SUPPLIER:	RCL Exports India Pvt. Ltd.			
	305, 3rd Floor, Kirti Deep Building, RBC Nangal Raya, New Delhi - 110046, INDIA Ph: + 91-11-47029060 EMAIL: info@rclexports.com www.rclexports.com			
SECTION 2: COMPOSITION, INFORMATION ON INGREDIENTS				
COMPONENT:	COPPER POLYCHLOROPHTHALOCYANINE GREEN			
PERCENTAGE BY WEIGHT:	98.5			
EC NUMBER (EINECS):	215-524-7			
DANGEROUS COMPONENT:	None			
SECTION 3: PHYSICAL AND CHEMICAL PROPERTIES				
PHYSICAL STATE:	Solid			
PHYSICAL FORM:	Powder			
COLOR:	Green			
ODOR:	Odorless			
MOLECULAR FORMULA:	C ₃₂ H ₈ Cl ₁₆ Cu			
MOLECULAR WEIGHT:	1082-1127			
SPECIFIC GRAVITY (water=1):	2.13			
WATER SOLUBILITY:	Insoluble			
BULK DENSITY:	0.40 to 0.55 gm/cc			
PH:	Neutral			
AUTO IGNITION:	Not DOT Regulated			
THERMAL DECOMPOSITION:	Hazardous decomposition Not Expected			
BOILING POINT:	Not Applicable			
MELTING POINT:	Not Applicable			
VAPOUR PRESSURE:	Not Applicable			
VAPOUR DENSITY:	Not Applicable			
VOLATILITY:	Not Applicable			
ODOR THRESHOLD:	Not Applicable			
EVAPORATION RATE:	Not Applicable			

Regd. Office: 233, Karishma Appartment, Plot No-27, Patparganj, New Delhi-110092 CIN: U51909DL2005PTC143513 : IEC NO:- AADCR2086B



CAPEXIL



303 and 305, 3rd Floor, Kirti Deep Building, 5 RBC, DDA Complex, Nangal Raya, New Delhi-110046 (INDIA) Tel.: +91-11-4702-9060, +91 88600-08040

Email: mahavirs@yahoo.com Website: www.rclexports.com ISO 9001 : 2015 CERTIFIED COMPANY

COEFFICIENT OF WATER/OIL DISTRIBUTION:	Not Applicable		
GNITION TEMPERATURE:	Not Applicable		
PARTITION COEFFICIENT:	Not Applicable		
VISCOSITY:	Not Applicable		
OXIDIZING PROPERTIES:	Not Applicable		
EXPLOSION LIMITS:	Not Applicable		
SECTION 4: HAZARDS IDENTIFICATION	A STATE OF THE PARTY OF THE PAR		
NFPA RATINGS (SCALE 0-4):	HEALTH=1 FIRE=1 REACTIVITY=0		
EC CLASSIFICATION (CALCULATED):	Not determined.		
SECTION 5: FIRST AID MEASURES			
INHALATION:	Remove from exposure immediately and move to fresh air. Use a bag valve mask or similar device to perform artificial respiration and aid in breathing. Get medical attention if needed.		
SKIN CONTACT:	Remove contaminated clothing, jewelry, and shoes immediately. Wash skin thoroughly with soap and water. Use mild detergent and water to wash clothes until no evidence of chemical remains before reuse. Get medical attention, if needed.		
EYE CONTACT:	Flush eyes immediately with large amount of water, occasionally lifting upper and lower lids, until no evidence of chemical remains. Get medical attention immediately if irritation remains.		
INGESTION:	Dilute it with water and induce vomiting. If vomiting occurs, keep head lower than hips to help prevent aspiration. Get medical attention immediately.		
SECTION 6: FIRE FIGHTING MEASURES			
FIRE AND EXPLOSION HAZARDS:	Slight fire hazard. Dust/air mixtures may ignite or explode.		
EXTINGUISHING MEDIA:	Regular dry chemical, carbon dioxide, water, or regular foam.		
LARGE FIRES:	Use regular foam or flood with fine water spray.		
FIRE FIGHTING:	Personal firefighting equipment procedure must be used or use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.		
SECTION 7: ACCIDENTAL RELEASE MEASURES			
OCCUPATIONAL/ ENVIRONMENTAL RELEASE PRECAUTIONS:	Collect spilled material in appropriate container for disposal or vacuum into a receptacle. Keep out of water supplies and sewers. Keep unnecessary people away, isolate hazard area and deny entry.		
PERSONAL PRECAUTIONS:	Safety glasses, helmet, face guard, hand gloves, etc to be worn.		
SECTION 8: HANDLING AND STORAGE	The state of the s		

Regd. Office: 233, Karishma Appartment, Plot No-27, Patparganj, New Delhi-110092 CIN: U51909DL2005PTC143513 : IEC NO:- AADCR2086B





ISO 9001: 2015

GST No.: 07AADCR2086B1ZO

303 and 305, 3rd Floor, Kirti Deep Building, 5 RBC, DDA Complex, Nangal Raya, New Delhi-110046 (INDIA) Tel.: +91-11-4702-9060, +91 88600-08040 Email: mahavirs@yahoo.com Website: www.rclexports.com

Store and handle in accordance with all current regulations and standards. Keep separated from incompatible substances.

This product should be handled under conditions of good industrial hygiene.

SECTION 9: EXPOSURE CONTROLS, PERSONAL PROTECTION

In particular, creating and inhaling of dust is to be prevented by the use of lock exhaust ventilation during handling and weighing. Usual precaution for nuisance dust should be observed. Store in rooted place at room temperature.

Keep container tightly sealed, protect from fire.

Keep away from source of ignition or no smoking zone.

Risk of dust explosion, as with most organic powders, it may form flammable dust clouds in air.

Also prevent dust collection by regular cleaning.

EXPOSURE LIMITS:	No occupational exposure limits established.	
VENTILATION:	Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.	
EYE PROTECTION:	Wear splash resistant safety glasses. Provide an emergency eywash fountain and quick drench shower in the immediate work area.	
CLOTHING:	Wear appropriate chemical resistant clothing.	
GLOVES:	Wear appropriate chemical resistant gloves.	
RESPIRATOR:	Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory protection is ranked in order from	
	minimum to maximum. Consider warning properties before use. Any dust and mist respirator with a full face piece. Any airpurifying respirator with a full face piece and a highefficiency particulate filter. Any powered, air-purifying respirator with a full face piece and a high-efficiency particulate filter. For Unknown Concentrations or Immediately Dangerous to Life or Health - Any supplied-air respirator with full face piece and operated in a Pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full face piece.	
SECTION 10: STABILITY AND REACTIVITY		
REACTIVITY:	Stable at normal temperatures and pressure.	
CONDITIONS TO AVOID:	Avoid heat, flames, sparks, fire and other sources of ignition. Avoid contact with incompatible materials.	
INCOMPATIBILITIES:	Oxidizing materials	
OXIDIZERS (STRONG):	Fire and explosion hazard.	
	Thermal decomposition products: cyanides, oxides	
HAZARDOUS DECOMPOSITION:	of carbon, nitrogen	

Regd. Office: 233, Karishma Appartment, Plot No-27, Patparganj, New Delhi-110092 CIN: U51909DL2005PTC143513 : IEC NO:- AADCR2086B



CAPEXIL S

303 and 305, 3rd Floor, Kirti Deep Building, 5 RBC, DDA Complex, Nangal Raya, New Delhi-110046 (INDIA) Tel.: +91-11-4702-9060, +91 88600-08040 Email: mahavirs@yahoo.com Website: www.rclexports.com

ISO 9001 : 2015 CERTIFIED COMPANY

GST No.: 07AADCR2086B1ZO

MUTAGENIC DATA:		Mutation in microorganisms - Salmonella typhimurium 3333 ug/plate (-S9)		
ACUTE ORAL TOXICITY (LD50)	The product is not toxic. LD 50 Rat-5000 mg/kg.	The product is not toxic. LD 50 oral. Rat-5000 mg/kg.		
HEALTH EFFECTS:				
INHALATION:	ACUTE EXPOSURE:	Dusts may be irritating to the mucous membranes.		
	CHRONIC EXPOSURE:	No data available		
SKIN CONTACT:	ACUTE EXPOSURE:	Non irritant (tested on Rabbit)		
	CHRONIC EXPOSURE:	No data available.		
EYE CONTACT:	ACUTE EXPOSURE:	Non irritant (tested on		
		Rats).		
	CHRONIC EXPOSURE:	No data available.		
INGESTION:	ACUTE EXPOSURE:	May result in gastric disturbances		
	CHRONIC EXPOSURE:	No data available.		
SECTION 12: ECOLOGICAL INFORMATION				
SECTION 13: DISPOSAL CONSIDERATIONS Dispose in accordance with federal, state, local and a Contaminated packages and containers emptied, but		Here is the state of the state		
DISPOSAL OF PRODUCT:	Waste code No.55514 (GERM	ANY)		
DISPOSAL OF PACKING:	Waste code No. 18174 (GERN			
WASTE CLASSIFICATION:	Waste code No.55514 (GERM			
SECTION 14: TRANSPORT INFORMATION				
LAND/AIR/MARITIME TRANSPORT	No classification/precaution as	signed.		
SECTION 15: REGULATORY INFORMATION				
U.S. REGULATIONS:	TSCA INVENTORY STATUS:	Y		
	TSCA 12(b) EXPORT NOTIFICATION:	Not Listed		
	CERCLA SECTION 103 (40CFR302.4):	N		
	SARA SECTION 302 (40CFR355.30):	N		
	SARA SECTION 304 (40CFR355.40):	N		
	SARA SECTION 313 (40CFR372.65)	N		





ISO 9001 : 2015 CERTIFIED COMPANY

GST No.: 07AADCR2086B1ZO

303 and 305, 3rd Floor, Kirti Deep Building, 5 RBC, DDA Complex, Nangal Raya, New Delhi-110046 (INDIA) Tel.: +91-11-4702-9060, +91 88600-08040 Email: mahavirs@yahoo.com Website: www.rclexports.com

Name Of the Control o	트립스(1994년 - 1907년) 1907년 <mark>- 19</mark> 07년 1월 1907년 - 1	CERTIFIED COMPANI
	SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):	AUCTE: N
		FIRE N
		REACTIVE N
		SUDDEN N
		RELEASE
	OSHA PROCESS SAFTEY (29CFR1910.119):	N
STATE REGULATIONS:	CALIFORNIA PROPOSITION 65:	N
EUROPEAN REGULATIONS:	EC NUMBER (EINECS):	215-524-7
GERMAN REGULATIONS:	WATER HAZARD CLASS (WGK):	(Self Classification by manufactures and Distributors)

SECTION 16: OTHER INFORMATION

The information mentioned in this data sheet is compiled from the different sources and our present state of knowledge thus should be taken as guideline only.

Also It should not therefore be constructed as guaranteeing specific properties of the product described or their suitability for particular application.

For detailed information regarding the health and safety data also please refer to NPIRI raw material data handbook VOL.4 pigments.

Regd. Office: 233, Karishma Appartment, Plot No-27, Patparganj, New Delhi-110092 CIN: U51909DL2005PTC143513 : IEC NO:- AADCR2086B